Selected Model and Options

CODE	MODEL	MSRP
CK2075	3 2020 Chevrolet Silverado 2500HD 4WD Double Cab 149" Work Truck	*
01263		
CODE	DESCRIPTION	MSRP
GA0	Northsky Blue Metallic	
(za;(ta)	EQUIPMENT GROUP	
CODE	DESCRIPTION	MSR
1WT	Work Truck Preferred Equipment Group includes standard equipment	
)hr(o)NAU	EQUIPMENT INTERIOR	
CODE	DESCRIPTION	MSR
9L7	Upfitter switch kit, (5) Provides 3-30 amp and 2-20 amp configurable circuits to facilitate installation of aftermarket electrical accessories.	
AQQ	Remote Keyless Entry with 2 transmitters (Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)	Inc
C49	Defogger, rear-window electric (Included with (PCV) WT Convenience Package.)	
K34	Cruise control, electronic with set and resume speed, steering wheel-mounted (Included with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)	Inc.
DIFICINAL	EQUIPMENT EXTERIOR	
	DESCRIPTION	MSR

VK3 License plate kit, front

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

(ANQ) Alaskan Snow Plow Special Edition. Not available with (ZW9) pickup bed delete. Not

Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors,

integrated turn signals, manual folding/extending (extends 3.31" [84.25mm]) (Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.) Tailgate, gate function manual with EZ Lift includes power lock and release (Included and only

available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.

Lamps, Smoked Amber roof marker, (LED) (Included with (ANQ) Alaskan Snow Plow Special

available with any Ship Thrus EXCEPT (TCE), (TCH), (VSH) or (VTV).)

Edition. Not available with (YF5) California state emissions requirements.)

Deleted when (ZW9) pickup bed delete is ordered.)

Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.

DBĠ

QT5

U01

Inc.

Inc.

CODE	DESCRIPTION	MSRF
K05	Engine block heater (Included with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	
KW5	Alternator, 220 amps (Included with (L5P) Duramax 6.6L Turbo-Diesel V8 engine or (VYU) Snow Plow Prep Package. Free flow on (L8T) 6.6L V8 gas engine.)	Inc.
NQH	Transfer case, two-speed active electronic Autotrac with push button control (Requires 4WD models.)	··· -
NZZ	Skid Plates protect the oil pan, front axle and transfer case (Included with (Z71) Z71 Off-Road Package or (VYU) Snow Plow Prep Package.)	Inc.

ADDITIONAL	EQUIPMENT PACKAGE	
CODE	DESCRIPTION	MSRP
VYU	Snow Plow Prep Package includes (KW5) 220-amp alternator, includes increased front GAWR on Heavy Duty models, (NZZ) skid plates (transfer case and oil pan), pass through dash grommet hole and roof emergency light provisions. Contact GM Upfitter Integration at www.gmupfitter.com for plow installation details and assistance (Requires 4WD model. Upgradeable to (KHF) Dual alternators (220-amp primary, 170-amp auxiliary). Included with (ANQ) Alaskan Snow Plow Special Edition. Not available with (F60) Heavy Duty Front Spring Package.)	
ZLQ	WT Fleet Convenience Package includes (AQQ) Remote Keyless Entry, (K34) Cruise Control, (QT5) EZ Lift power lock and release tailgate and (DBG) outside power-adjustable vertical trailering with heated upper glass; (Not available with (PCV) WT Convenience Package. With (ZW9) pickup bed delete, (QT5) EZ Lift power lock and release tailgate is deleted.)	
AND)IT(O)NAL	EQUIPMENT - LPO	
CODE	DESCRIPTION	MSRP
RVQ	LPO, Black tubular assist steps, 6" rectangular (Not available with any other assist steps.)	
VQK	LPO, Molded splash guards, Black (Not available with (ZW9) pickup bed delete.)	animenen - 2 i kak
ADDITIONAL	EQUIPMENT OTHER	
CODE	DESCRIPTION	MSRP
VQ2	Fleet Processing Option	

SEATITYRE			
CODE	DESCRIPTION	MS	RP
A52	Seats, front 40/20/40 split-bench (no storage) (ST	D)	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

CODE	DESCRIPTION	MSR
GA0	Northsky Blue Metallic	
13		
CODE	DESCRIPTION	MSR
GT4	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	
NTTERIM		
CODE	DESCRIPTION	MSR
H1T	Jet Black, Cloth seat trim	-
no .		
CODE	DESCRIPTION	MSR
IOR	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)	
VR		
CODE	DESCRIPTION	MSR
JGC	GVWR, 10,350 lbs. (4695 kg) (STD) (Requires CC20743 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20753 and (L8T) 6.6L V8 gas engine with 17" wheels.)	. .
INE		
CODE	DESCRIPTION	MSR
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)	-
NSMISS	ON	
CODE	DESCRIPTION	MSRI
MYD	Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)	••••••••••••••••••••••••••••••••••••••
ssions.		
CODE	DESCRIPTION	MSRI
NE1	Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	

CODE	DESCRIPTION	MSR
PYN	Wheels, 17" (43.2 cm) painted steel, Silver (STD)	
18		
CODE	DESCRIPTION	MSR
QXT	Tires, LT265/70R17E all-terrain, blackwall (Included with (Z71) Z71 Off-Road Package.)	
CODE	DESCRIPTION	MSR
ZXT	Tire, spare LT265/70R17E all-terrain, blackwall (Included and only available with (QXT) LT265/70R17E all-terrain, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QXT) LT265/70R17E all-terrain, blackwall tires are ordered.)	lnc
	Options Total	
,		
	D	
	Equipment	
ndard	There are a second secon	
	Trailering Package includes trailer bitch. 7 ain connector and (CTT) Litch Cuideness (Deletedu	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted w pickup bed delete is ordered.)	/hen (ZW9)
age	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted w pickup bed delete is ordered.)	vhen (ZW9)
age	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted w pickup bed delete is ordered.) Durabed, pickup bed	vhen (ZW9)
age	pickup bed delete is ordered.)	
ndard age nanical	pickup bed delete is ordered.) Durabed, pickup bed Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.

Mechanical	
	GVWR, 10,350 lbs. (4695 kg) (STD) (Requires CC20743 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20753 and (L8T) 6.6L V8 gas engine with 17" wheels.)
	Air filter, high-capacity
	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Differential, heavy-duty locking rear
	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black (Not included when (VQY) Chrome recovery hooks, LPO is ordered.)
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)
Exterior	
	Wheels, 17" (43.2 cm) painted steel, Silver (STD)
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumpers, front, Black
	Bumpers, rear, Black
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Extenior	
	Moldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)
	Grille (Front grille bar with "CHEVROLET" molded in Black, includes Black mesh inserts with small Gold bowtie emblem.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel.
	Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black
	Mirror caps, Black
	Glass, solar absorbing, tinted
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)
	Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)
	Door handles, Black grained
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices; voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Bluetooth for phone connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench (no storage) (STD)
	Vinyl seat trim
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
This document contains information	considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices

specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

interior.	
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Window, power front, drivers express up/down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
	Window, power front, passenger express down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
	Windows, power rear, express down (Not available on Regular Cab models.)
	Door locks, power (Standard on Crew Cab and Double Cab models. On Regular Cab models, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
	USB port, located on instrument panel
	Power outlet, front auxiliary, 12-volt
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety Exterior	
• .	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
•	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Hitch Guidance (Deleted with (ZW9) pickup bed delete)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.

Safety-Interior	
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)
Processing-Other	
	Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)
WARRANTY	
	Warranty Note: <<< Preliminary 2020 Warranty Note >>> Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000 Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles
	Corrosion Years (Rust-Through): 6 Corrosion Years: 3
	Corrosion Miles/km (Rust-Through): 100,000 Corrosion Miles/km: 36,000 Roadside Assistance Years: 5
	Roadside Assistance Miles/km: 60,000 Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5
	Years/100,000 Miles Maintenance Note: 1 Year/1 Visit
Window Sticker	

laow Sticker

UMMARN

[Fleet] 2020 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Work Truck

Interior: Jet Black, Cloth seat trim

Exterior 1:Northsky Blue Metallic

Exterior 2:No color has been selected.

Engine, 6.6L V8

Transmission, 6-speed automatic, heavy-duty

options CODE MODEL **MSRP** CK20753 [Fleet] 2020 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Work Truck OPTIONS

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.

	1WT	Work Truck Preferred Equipment Group				
	9L7	Upfitter switch kit, (5)				
	A52				•	1
	AQQ	Seats, front 40/20/40 split-bench (no storage)				
	C49	Remote Keyless Entry	Inc.			
	CGN	Defogger, rear-window electric				
	DBG	Chevytec spray-on bedliner				
	GAO	Mirrors, outside power-adjustable vertical trailering	Inc.			
	GT4	Northsky Blue Metallic	а А			
	H1T	Rear axle, 3.73 ratio				
		Jet Black, Cloth seat trim				
	IOR	Audio system, Chevrolet Infotainment 3 system			1	
	JGC	GVWR, 10,350 lbs. (4695 kg)				
	K05	Engine block heater		4 ¹		
	K34	Cruise control, electronic	Inc.	,		
	KW5	Alternator, 220 amps	Inc.			
	L8T	Engine, 6.6L V8				
	MYD	Transmission, 6-speed automatic, heavy-duty				
	• NE1	Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements				
	NQH	Transfer case, two-speed active				
	NZZ	Skid Plates	Inc.			
	PYN .	Wheels, 17" (43.2 cm) painted steel, Silver				
	QT5	Tailgate, gate function manual with EZ Lift	Inc.			
	QXT	Tires, LT265/70R17E all-terrain, blackwall				
	RVQ	LPO, Black tubular assist steps, 6" rectangular				
	U01	Lamps, Smoked Amber roof marker, (LED)				
	VK3	License plate kit, front				
	VQ2	Fleet Processing Option				
	VQK	LPO, Molded splash guards, Black				
	VYU .	Snow Plow Prep Package				
	ZLQ	WT Fleet Convenience Package				
	ZXT	Tire, spare LT265/70R17E all-terrain, blackwall	Inc.			
ie de	ocument contains information conside			******	****	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.

SUBTOTAL

Adjustments Total

Destination Charge

TOTAL PRICE

Daradononn

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.

Weight Ratings

WEIGHTRATINGS	
Front Gross Axle Weight Rating:	4800 lbs
Rear Gross Axle Weight Rating:	6390 lbs
Gross Vehicle Weight Rating:	10350.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.

Technical Specifications

Transmission

Rottentralin

Drivetrain	Four Wheel Drive
Trans Type	6
Trans Description Cont. Again	N/A
Second Gear Ratio (:1)	2.36
Fourth Gear Ratio (:1)	1.15
Sixth Gear Ratio (:1)	0.67
Clutch Size	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Gear Ratio (:1), High	1.00
Transfer Case Power Take Off	N/A

·	
Trans Order Code	MYD
Trans Description Cont.	Automatic
First Gear Ratio (:1)	4.03
Third Gear Ratio (:1)	1.53
Fifth Gear Ratio (:1)	0.85
Reverse Ratio (:1)	3.06
Trans Power Take Off	N/A
Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), Low	2.69

Mileage

EPA Fuel Economy Est - Hwy	N/A
EPA Fuel Economy Est - City	N/A
Cruising Range - Hwy	N/A

Cruising Range - City	N/A	
Fuel Economy Est-Combined	N/A	

Engine

Engine Order Code	L8T
Displacement	6.6L/400
SAE Net Horsepower @ RPM	401 @ 5200
Engine Oil Cooler	Yes

Engine Type	Gas V8
Fuel System	Direct Injection
SAE Net Torque @ RPM	464 @ 4000

Electrical

	Total Cooling System Capacity	N/A	
Co	ooling System		
	Cold Cranking Amps @ 0° F (3rd)	N/A	
	Cold Cranking Amps @ 0° F (Primary)	720	

Cold Cranking Amps @ 0° F (2nd)	N/A
Maximum Alternator Capacity (amps)	220

С

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.

Veniele

Emissions

di Gale

Tons/yr of CO2 Emissions @ 15K mi/year N/A

EPA Greenhouse Gas Score

N/A

Weight Information

Standard Weight - Front	0.00 lbs	St
Gross Axle Wt Rating - Front	4800 lbs	G
Curb Weight - Front	3813 lbs	C
Option Weight - Front	59.00 lbs	0
Reserve Axle Capacity - Front	928.00 lbs	R
As Spec'd Curb Weight	6686.00 lbs	A
Maximum Payload Capacity	3805.00 lbs	G
Gross Axle Weight Rating	11190.00 lbs	C
Reserve Axle Capacity	4504.00 lbs	Тс
Payload Weight Front	0 lbs	Pa
Gross Vehicle Weight Rating	10350.00 lbs	

Standard Weight - Rear	0.00 lbs
Gross Axle Wt Rating - Rear	6390 lbs
Curb Weight - Rear	2732 lbs
Option Weight - Rear	82.00 lbs
Reserve Axle Capacity - Rear	3576.00 lbs
As Spec'd Payload	3664.00 lbs
Gross Combined Wt Rating	24000 lbs
Curb Weight	6545.00 lbs
Total Option Weight	141.00 lbs
Payload Weight Rear	0 lbs

Trailering

Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	14500 lbs	Wt Distributing Hitch - Max Tongue Wt.	1450 lbs
Maximum Trailering Capacity	14500 lbs		

Frame

Frame Type	Hydroformed
Frame RBM	, N/A
Frame Thickness	N/A

Sect Modulus Rails Only	N/A
Frame Strength	N/A

Suspension

Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Springs
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

spension		~	
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
res			•
Front Tire Order Code	QXT	Rear Tire Order Code	QXT
Spare Tire Order Code	ZXT	Front Tire Size	LT265/70R17E
Rear Tire Size	LT265/70R17E	Spare Tire Size	LT265/70R17E
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	17 x -TBD- in	Rear Wheel Size	17 x -TBD- in
Spare Wheel Size	17 x 7.5 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
teering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	49.5 ft	Turning Diameter - Wall to Wall	N/A
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	14.0 x 1.6 in
Rear Brake Rotor Diam x Thickness	14.1 x 1.3 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A .		
uel Tank			
Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location		Aux Fuel Tank Location	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

enessis -----

Fuel Tank

Olmensions —

Interior Dimensions

Passenger Capacity	· 6
Front Leg Room	44.53 in
Front Hip Room	61.18 in
Second Leg Room	35.24 in
Second Hip Room	60.24 in

Front Head Room	43.03 in
Front Shoulder Room	66.02 in
Second Head Room	39.88 in
Second Shoulder Room	64.88 in

Exterior Dimensions

Wheelbase	149.4 in
Length, Overall w/rear bumper	N/A
Width, Max w/o mirrors	81.85 in
Overhang, Front	N/A
Front Bumper to Back of Cab	N/A
Cab to End of Frame	N/A
Ground to Top of Frame	N/A
Ground Clearance, Front	10.19 in
Body Length	0.00 ft

Length, Overall w/o rear bumper	240.45 in
Length, Overall	N/A
Height, Overall	79.95 in
Overhang, Rear w/o bumper	N/A
Cab to Axle	42.1 in
Ground to Top of Load Floor	N/A
Frame Width, Rear	N/A
Ground Clearance, Rear	10.19 in
Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	82.25 in
Cargo Box Width @ Floor	71.4 in
Cargo Box (Area) Height	21 in
Cargo Volume	69.5 ft³

Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Wheelhousings	51.85 in
Tailgate Width	N/A
Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Highway Pick-up #1

All options defined in the GM Spec sheet

Please include the following aftermarket options

#1. WESTERN 8'6" V STYLE WESTERN[®] MVP 3 W/ FLARED WINGS, STEEL PLOW WITH VEHICLE PLOW PREP PACKAGE, HEADLAMPS KIT, AND QUICK DETACHABLE/MOUNT KIT POLY SNOW DEFLECTOR, WITH BACK DRAG EDGE

#2. BACK RACK CAB GAURD WITH BACK RACK "FULL RAIL" SIDERAILS, 16" AMBER BARLIGHT TO BE MOUNTED WITH PART # 91002RECF BACK RACK CENTER MOUNT, WIRED TO ONE AUX. UP-FITTER SWITCH IN CAB