



STANDARD FEATURES

2022 DURANGO SXT AWD

CLOSE X

FUEL EFFICIENCY



DIMENSIONS & CAPACITIES



BASICS

- Brakes - Front Disc
- Brakes - Rear Disc
- Driveline Configuration AWD
- EPA Classification Multipurpose Veh
- Maximum Number of Doors 4
- Steering Rack & Pinion
- Suspension - Front Ind
- Suspension - Rear Multi-Link
- Tires - Aspect Ratio 60
- Tires - Construction R
- Tires - Spare Tire Type Compact
- Tires - Type P
- Tires - Wheel Diameter 18.0
- Tires - Width 265
- Tops - Standard Top HF
- Vehicle Type 4-Dr Sport Utility

CAPACITIES/WEIGHTS

- Capacity/Weights - Fuel Tank Capacity 24.6
- Capacity/Weights - Gross Vehicle Weight Rating (GVWR) 6500
- Curb Weight - Automatic Trans 4823
- Payload Capacity - When Properly Equipped - Standard 1680
- Towing Capacity - Maximum 6200
- Towing Capacity - Standard 3500
- Weight Distribution - Automatic Trans - Front 50.0
- Weight Distribution - Automatic Trans - Rear 50.0

EXTERIOR DIMENSIONS

- Ground Clearance - Approach Angle 20.0
- Ground Clearance - Breakover Angle 18.1
- Ground Clearance - Departure Angle 21.5
- Overall Body Width 75.8
- Overall Height - Without Roof Rack 72.9
- Overall Length 200.8
- Running Ground Clearance 8.1
- Track - Front 63.9
- Track - Rear 64.1
- Turning Diameter - curb-to-curb - Left 41.0
- Turning Diameter - curb-to-curb - Right 41.0
- Wheelbase 119.8

Pricing |

ing shown



STANDARD FEATURES

2022 DURANGO SXT AWD

CLOSE X

FUEL EFFICIENCY



DIMENSIONS & CAPACITIES



BASICS

- Brakes - Front Disc
- Brakes - Rear Disc
- Driveline Configuration AWD
- EPA Classification Multipurpose Veh
- Maximum Number of Doors 4
- Steering Rack & Pinion
- Suspension - Front Ind
- Suspension - Rear Multi-Link
- Tires - Aspect Ratio 60
- Tires - Construction R
- Tires - Spare Tire Type Compact
- Tires - Type P
- Tires - Wheel Diameter 18.0
- Tires - Width 265
- Tops - Standard Top HF
- Vehicle Type 4-Dr Sport Utility

CAPACITIES/WEIGHTS

- Capacity/Weights - Fuel Tank Capacity 24.6
- Capacity/Weights - Gross Vehicle Weight Rating (GVWR) 6500
- Curb Weight - Automatic Trans 4823
- Payload Capacity - When Properly Equipped - Standard 1680
- Towing Capacity - Maximum 6200
- Towing Capacity - Standard 3500
- Weight Distribution - Automatic Trans - Front 50.0
- Weight Distribution - Automatic Trans - Rear 50.0

EXTERIOR DIMENSIONS

- Ground Clearance - Approach Angle 20.0
- Ground Clearance - Breakover Angle 18.1
- Ground Clearance - Departure Angle 21.5
- Overall Body Width 75.8
- Overall Height - Without Roof Rack 72.9
- Overall Length 200.8
- Running Ground Clearance 8.1
- Track - Front 63.9
- Track - Rear 64.1
- Turning Diameter - curb-to-curb - Left 41.0
- Turning Diameter - curb-to-curb - Right 41.0
- Wheelbase 119.8

EXT

Exterior C

Wheels: 1

Tires: 265



STANDARD FEATURES

2022 DURANGO SXT AWD

CLOSE X

FUEL EFFICIENCY

▼

DIMENSIONS & CAPACITIES

^

BASICS

- Brakes - Front Disc
- Brakes - Rear Disc
- Driveline Configuration AWD
- EPA Classification Multipurpose Veh
- Maximum Number of Doors 4
- Steering Rack & Pinion
- Suspension - Front Ind
- Suspension - Rear Multi-Link
- Tires - Aspect Ratio 60
- Tires - Construction R
- Tires - Spare Tire Type Compact
- Tires - Type P
- Tires - Wheel Diameter 18.0
- Tires - Width 265
- Tops - Standard Top HF
- Vehicle Type 4-Dr Sport Utility

CAPACITIES/WEIGHTS

- Capacity/Weights - Fuel Tank Capacity 24.6
- Capacity/Weights - Gross Vehicle Weight Rating (GVWR) 6500
- Curb Weight - Automatic Trans 4823
- Payload Capacity - When Properly Equipped - Standard 1680
- Towing Capacity - Maximum 6200
- Towing Capacity - Standard 3500
- Weight Distribution - Automatic Trans - Front 50.0
- Weight Distribution - Automatic Trans - Rear 50.0

EXTERIOR DIMENSIONS

- Ground Clearance - Approach Angle 20.0
- Ground Clearance - Breakover Angle 18.1
- Ground Clearance - Departure Angle 21.5
- Overall Body Width 75.8
- Overall Height - Without Roof Rack 72.9
- Overall Length 200.8
- Running Ground Clearance 8.1
- Track - Front 63.9
- Track - Rear 64.1
- Turning Diameter - curb-to-curb - Left 41.0
- Turning Diameter - curb-to-curb - Right 41.0
- Wheelbase 119.8