

Selected Model and Options

MODEL			
CODE	MODEL	• .	MSRP
CK20753	2020 Chevrolet Silverado 2500HD 4WD Double Cab 149" Work Truck	- Charles and Char	

CODE DESCRIPTION MSRP

GA0 Northsky Blue Metallic

PREFERRED EQUIPMENT GROUP

CODE DESCRIPTION MSRP

1WT Work Truck Preferred Equipment Group includes standard equipment

CODE	DESCRIPTION	MSRI
CODE	DESCRIPTION	, INSKI
9L7	Upfitter switch kit, (5) Provides 3-30 amp and 2-20 amp configurable circuits to facilitate installation of aftermarket electrical accessories.	
AQQ	Remote Keyless Entry with 2 transmitters (Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)	Inc
C49	Defogger, rear-window electric (Included with (PCV) WT Convenience Package.)	
K34	Cruise control, electronic with set and resume speed, steering wheel-mounted (Included with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)	Inc.

CODE	DESCRIPTION	MCDI
CODE	DESCRIPTION	MSRF
CGN	Chevytec spray-on bedliner Black with Chevrolet logo (does not include spray-on liner on tailgate due to Black composite inner panel) (Included with (CMT) Gooseneck/5th Wheel Package or (ANQ) Alaskan Snow Plow Special Edition. Not available with (ZW9) pickup bed delete. Not available with any Ship Thrus EXCEPT (TCE), (TCH), (VSH) or (VTV).)	
DBG	Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm]) (Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)	Inc.
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release (Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package. Deleted when (ZW9) pickup bed delete is ordered.)	Inc.
U01	Lamps, Smoked Amber roof marker, (LED) (Included with (ANQ) Alaskan Snow Plow Special Edition. Not available with (YF5) California state emissions requirements.)	
VK3	License plate kit, front	MOTES AND RESIDENCE OF THE PROPERTY OF THE PRO

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.



CODE	DESCRIPTION	MSRP
K05	Engine block heater (Included with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	A SHALL SHAL
KW5	Alternator, 220 amps (Included with (L5P) Duramax 6.6L Turbo-Diesel V8 engine or (VYU) Snow Plow Prep Package. Free flow on (L8T) 6.6L V8 gas engine.)	Inc.
NQH	Transfer case, two-speed active electronic Autotrac with push button control (Requires 4WD models.)	• • • =
NZZ	Skid Plates protect the oil pan, front axle and transfer case (Included with (Z71) Z71 Off-Road Package or (VYU) Snow Plow Prep Package.)	Inc.

And Month	LEQUIPMENT: PACKAGE:	
CODE	DESCRIPTION	MSRP
VYU	Snow Plow Prep Package includes (KW5) 220-amp alternator, includes increased front GAWR on Heavy Duty models, (NZZ) skid plates (transfer case and oil pan), pass through dash grommet hole and roof emergency light provisions. Contact GM Upfitter Integration at www.gmupfitter.com for plow installation details and assistance (Requires 4WD model. Upgradeable to (KHF) Dual alternators (220-amp primary, 170-amp auxiliary). Included with (ANQ) Alaskan Snow Plow Special Edition. Not available with (F60) Heavy Duty Front Spring Package.)	
ZLQ	WT Fleet Convenience Package includes (AQQ) Remote Keyless Entry, (K34) Cruise Control, (QT5) EZ Lift power lock and release tailgate and (DBG) outside power-adjustable vertical trailering with heated upper glass; (Not available with (PCV) WT Convenience Package. With (ZW9) pickup bed delete, (QT5) EZ Lift power lock and release tailgate is deleted.)	

ANDITIONAL	EQUIPMENT-LPO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
CODE	DESCRIPTION	MSRP
RVQ	LPO, Black tubular assist steps, 6" rectangular (Not available with any other assist steps.)	
VQK	LPO, Molded splash guards, Black (Not available with (ZW9) pickup bed delete.)	

ADDITIONAL	EQUIPMENT OTHER		The state of the s	
CODE	DESCRIPTION			MSRP
VQ2	Fleet Processing Option	77777777777777777777777777777777777777		násannnásannna 2007 a 1920

SEAT TYPE		The Court of the State of the S
CODE	DESCRIPTION	MSRP
A52	Seats, front 40/20/40 split-bench (no storage) (STD)	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.



PAINT	ta selesare e la la participa de la companio de la	
CODE	DESCRIPTION	MSRP
GA0	Northsky Blue Metallic	

AXLE					
CODE	DESCRIPTION				MSRP
GT4	Rear axle, 3.73 ratio (Requi Turbo-Diesel V8 engine.)	ires (L8T) 6.6L V8 gas eng	ine. Not available with (L5P) Duramax 6.6L	

SEAT TRIM				33.50
CODE	DESCRIPTION	•		MSRP
H1T	Jet Black, Cloth seat trim			*

CODE	DESCRIPTION	MSRP
IOR	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)	

GVWR	the same that the same of	
CODE	DESCRIPTION	MSRP ·
JGC	GVWR, 10,350 lbs. (4695 kg) (STD) (Requires CC20743 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20753 and (L8T) 6.6L V8 gas engine with 17" wheels.)	. •

NGINE		
CODE	DESCRIPTION	MSRP
L8T	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)	· · · · · · · · · · · · · · · · · · ·

TRANSMISSI	ON CONTRACTOR OF THE PROPERTY		
CODE	DESCRIPTION		MSRP
MYD	Transmission, 6-speed auto	matic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)	<u> - , , , , , , , , , , , , , , , , , , </u>

EMISSIONS		And the state of t
CODE	DESCRIPTION	MSRP
NE1 Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.



WHERLS	5-005-5-101		
CODE	DESCRIPTION	l	MSRP

PYN Wheels, 17" (43.2 cm) painted steel, Silver (STD)

TIRES

CODE DESCRIPTION

MSRP

QXT Tires, LT265/70R17E all-terrain, blackwall (Included with (Z71) Z71 Off-Road Package.)

CODE	DESCRIPTION	
CODE	DESCRIPTION	MSR
ZXT	Tire, spare LT265/70R17E all-terrain, blackwall (Included and only available with (QXT)	lnc.
	LT265/70R17E all-terrain, blackwall tires with (E63) Durabed, pickup bed. Available to order when	1110.
	(ZW9) pickup bed delete and (QXT) LT265/70R17E all-terrain, blackwall tires are ordered.)	

Options Total

¥ 4		
		NAMES AND ASSESSMENT A
		STREET, STREET
D		. •

Standard Equipment

Package Trailering Package includes trailer bitch. 7 pin connector and (CTT) With Children (Duke to the Control of the Children (Duke to the Control of the Children (Duke to the Control of the Children (Duke to the Chil

Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)

Durabed, pickup bed

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)

Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)

Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Medianical Design	
	GVWR, 10,350 lbs. (4695 kg) (STD) (Requires CC20743 model and (L8T) 6.6L V8 gas engine with 18" or 20" wheels or CK20753 and (L8T) 6.6L V8 gas engine with 17" wheels.)
	Air filter, high-capacity
TARACCA MANAGEMENT AND	Air filtration monitoring
	Transfer case, two-speed electronic shift with push button controls (Requires 4WD models.)
	Differential, heavy-duty locking rear
The state of the s	Four wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
,	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black (Not included when (VQY) Chrome recovery hooks, LPO is ordered.)
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
The state of the s	Brake lining wear indicator
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)
Exterior	Description of the property of
makeuronistanden eine eine staten eine eine eine eine eine eine eine e	Wheels, 17" (43.2 cm) painted steel, Silver (STD)
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumpers, front, Black
	Bumpers, rear, Black
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Exterior	
	Moldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)
	Grille (Front grille bar with "CHEVROLET" molded in Black, includes Black mesh inserts with small Gold bowtie emblem.)
•	Headlamps, halogen reflector with halogen Daytime Running Lamps
*	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel.
	Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black
	Mirror caps, Black
	Glass, solar absorbing, tinted
	Tailgate and bed rail protection cap, top
	Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)
300 P d 1 - 6 d 2 1	Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)
	Door handles, Black grained
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices; voice command pass-through to phone, Apple CarPlay and Android Auto capable. (STD)
•	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Bluetooth for phone connectivity to vehicle infotainment system
Interior	
	Seats, front 40/20/40 split-bench (no storage) (STD)
	Vinyl seat trim
	Seat adjuster, driver 4-way manual
VIA-COLORIDA MARIA	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



	·
litterior	
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Window, power front, drivers express up/down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
	Window, power front, passenger express down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
	Windows, power rear, express down (Not available on Regular Cab models.)
	Door locks, power (Standard on Crew Cab and Double Cab models. On Regular Cab models, included and onl available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)
	USB port, located on instrument panel
	Power outlet, front auxiliary, 12-volt
	Air conditioning, single-zone
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
Safety-Mechanical	Burger of the Control
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety Exterior	Production of the contract of
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	the control of the second of
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)
	Hitch Guidance (Deleted with (ZW9) pickup bed delete.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)

Warranty Note: <<< Preliminary 2020 Warranty Note >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5

Drivetrain Miles/km: 60.000

Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5

Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit

Window Sticker

[Fleet] 2020 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Work Truck

Interior: Jet Black, Cloth seat trim

Exterior 1: Northsky Blue Metallic

Exterior 2:No color has been selected.

Engine, 6.6L V8

Transmission, 6-speed automatic, heavy-duty

CODE

MODEL

MSRP

CK20753

[Fleet] 2020 Chevrolet Silverado 2500HD (CK20753) 4WD Double Cab 149" Work Truck

OPTIONS

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's

Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.

input is subject to the accuracy of the input provided.



1WT	Work Truck Preferred Equipment Group	•
9L7	Upfitter switch kit, (5)	
A52	Seats, front 40/20/40 split-bench (no storage)	
AQQ	Remote Keyless Entry	Inc.
C49	Defogger, rear-window electric	
CGN	Chevytec spray-on bedliner	
DBG	Mirrors, outside power-adjustable vertical trailering	Inc.
GA0	Northsky Blue Metallic	
GT4	Rear axle, 3.73 ratio	
H1T	Jet Black, Cloth seat trim	
IOR	Audio system, Chevrolet Infotainment 3 system	
JGC	GVWR, 10,350 lbs. (4695 kg)	
K05	Engine block heater	
K34	Cruise control, electronic	Inc.
KW5	Alternator, 220 amps	Inc.
L8T	Engine, 6.6L V8	
MYD	Transmission, 6-speed automatic, heavy-duty	
NE1	Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	
NQH	Transfer case, two-speed active	
NZZ	Skid Plates	Inc.
PYN .	Wheels, 17" (43.2 cm) painted steel, Silver	
QT5	Tailgate, gate function manual with EZ Lift	Inc.
QXT	Tires, LT265/70R17E all-terrain, blackwall	•
RVQ	LPO, Black tubular assist steps, 6" rectangular	
U01	Lamps, Smoked Amber roof marker, (LED)	
VK3	License plate kit, front	
VQ2	Fleet Processing Option	
VQK	LPO, Molded splash guards, Black	
VYU	Snow Plow Prep Package	
ZLQ ,	WT Fleet Convenience Package	
 ZXT	Tire, spare LT265/70R17E all-terrain, blackwall	Inc.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



SUBTOTAL

Adjustments Total

Destination Charge

TOTAL PRICE

GUERNELS (O) (N

Est City:N/A

Est Highway: N/A

Est Highway Cruising Range: N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Weight Ratings

WEIGHTRATINGS	
Front Gross Axle Weight Rating:	4800 lbs
Rear Gross Axle Weight Rating:	6390 lbs
Gross Vehicle Weight Rating:	10350.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.



Technical Specifications

Four Wheel Drive	Trans Order Code	MYD
6		טוווו
•	Trans Description Cont.	Automatic
N/A	First Gear Ratio (:1)	4.03
2.36	Third Gear Ratio (:1)	1.53
1.15	Fifth Gear Ratio (:1)	0.85
0.67	Reverse Ratio (:1)	3.06
N/A	Trans Power Take Off	N/A
N/A	Transfer Case Model	Magna MP3023/4
1.00	Transfer Case Gear Ratio (:1), Low	2.69
N/A		
N/A	Cruising Range - City	N/A
N/A	Fuel Economy Est-Combined	N/A
N/A		
L8T	Engine Type	Gas V8
6.6L/400	Fuel System	Direct Injection
401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Yes		
720	Cold Cranking Amps @ 0° F (2nd)	N/A
N/A	Maximum Alternator Capacity (amps)	220
	1.15 0.67 N/A N/A 1.00 N/A N/A N/A N/A N/A N/A N/A V/A 1.00 N/A N/A N/A N/A N/A 1.00 N/A N/A N/A N/A N/A N/A N/A N	1.15 D.67 Reverse Ratio (:1) N/A Trans Power Take Off N/A Transfer Case Model 1.00 Transfer Case Gear Ratio (:1), Low N/A N/A Cruising Range - City N/A Fuel Economy Est-Combined N/A L8T Engine Type 6.6L/400 Fuel System 401 @ 5200 SAE Net Torque @ RPM Yes Cold Cranking Amps @ 0° F (2nd) N/A Maximum Alternator Capacity (amps)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.



nissions			A CONTRACTOR OF THE PROPERTY O
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
GS)# 1911 HE TO THE STATE OF TH			
eight Information			,
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Gross Axle Wt Rating - Front	4800 lbs	Gross Axle Wt Rating - Rear	6390 lbs
Curb Weight - Front	3813 lbs	Curb Weight - Rear	2732 lbs
Option Weight - Front	59.00 lbs	Option Weight - Rear	82.00 lbs
Reserve Axle Capacity - Front	928.00 lbs	Reserve Axle Capacity - Rear	3576.00 lbs
As Spec'd Curb Weight	6686.00 lbs	As Spec'd Payload	3664.00 lbs
Maximum Payload Capacity	3805.00 lbs	Gross Combined Wt Rating	24000 lbs
Gross Axle Weight Rating	11190.00 lbs	Curb Weight	6545.00 lbs
Reserve Axle Capacity	4504.00 lbs	Total Option Weight	141.00 lbs
Payload Weight Front	0 lbs	Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10350.00 lbs		
lilering	•		
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	14500 lbs	Wt Distributing Hitch - Max Tongue Wt.	1450 lbs
Maximum Trailering Capacity	14500 lbs		
me			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		
spension			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Spring
		Spring Capacity - Rear	N/A
Spring Capacity - Front	N/A		
	N/A N/A	Axle Type - Rear	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Zhassiek .			
Suspension			
Axle Ratio (:1) - Front	3.73	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51.0 mm	Shock Absorber Diameter - Rear	51.0 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QXT	Rear Tire Order Code	QXT
Spare Tire Order Code	ZXT	Front Tire Size	LT265/70R17E
Rear Tire Size	LT265/70R17E	Spare Tire Size	LT265/70R17E
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels		•	
Front Wheel Size	17 x -TBD- in	Rear Wheel Size	17 x -TBD- in
Spare Wheel Size	17 x 7.5 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
Steering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	49.5 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	14.0 x 1.6 in
Rear Brake Rotor Diam x Thickness	14.1 x 1.3 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank	·	•	
Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Fuel Tank

nensions ()			
terior Dimensions	· · · · · · · · · · · · · · · · · · ·		
Passenger Capacity	. 6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	39.88 in
Second Leg Room	35.24 in	Second Shoulder Room	64.88 in
Second Hip Room	60.24 in		
terior Dimensions			
Wheelbase	149.4 in	Length, Overall w/o rear bumper	240.45 in
Length, Overall w/rear bumper	N/A	Length, Overall	N/A
Width, Max w/o mirrors	81.85 in	Height, Overall	79.95 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	42.1 in
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	10.19 in	Ground Clearance, Rear	10.19 in
Body Length	0.00 ft	Cab to Body	N/A
rgo Area Dimensions			•
Cargo Box Length @ Floor	82.25 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	51.85 in
Cargo Box (Area) Height	21 in	Tailgate Width	N/A
Cargo Volume	69.5 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 9715. Data Updated: Nov 19, 2019 11:09:00 PM PST.

Highway Pick-up #2

All options defined in the GM Spec sheet

Please include the following aftermarket options

#1. BACK RACK CAB GAURD WITH BACK RACK "FULL RAIL" SIDERAILS, 16" AMBER BARLIGHT TO BE MOUNTED WITH PART # 91002RECF BACK RACK CENTER MOUNT, WIRED TO ONE AUX. UP-FITTER SWITCH IN CAB