


Prepared For:
NYSTA Crew Cab Config 3
MARK AUSTIN
P.O. BOX 189
ALBANY, NY 12201-
(518)436 - 2700
Reference ID: 2023 Config 3

Presented By:
NAVISTAR, INC
Dale Neighbor
399 ALBANY SHAKER RD
STE 202
Loudonville NY 12211 -
(518)694-3370



Model Profile
2024 HV507 SFA (HV507)

AXLE CONFIG:	4X2
APPLICATION:	Front Plow No Spreader
MISSION:	Requested GVWR: 36220. Calc. GVWR: 36220. Calc. GCWR: 80000 Calc. Start / Grade Ability: 36.77% / 2.88% @ 55 MPH Calc. Geared Speed: 72.7 MPH
DIMENSION:	Wheelbase: 203.00, CA: 84.10, Axle to Frame: 69.00
ENGINE, DIESEL:	{Cummins L9 300} EPA 2021, 300HP @ 2200 RPM, 860 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3500 RDS} 6th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity
AXLE, REAR, SINGLE:	{Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends Gear Ratio: 4.89
CAB:	Conventional 6-Man Crew Cab
TIRE, FRONT:	(2) 11R22.5 Load Range H ENDURANCE RSA (GOODYEAR), 496 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(4) 11R22.5 Load Range H FUEL MAX RTD (GOODYEAR), 495 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE:	23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs
PAINT:	Cab schematic 100WK Location 1: 4214, Medium Lemon Yellow (Prem) Chassis schematic 932WK Wheel: 4214, Medium Lemon Yellow (Prem)

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
HV50700	Base Chassis, Model HV507 SFA with 203.00 Wheelbase, 84.10 CA, and 69.00 Axle to Frame.	\$119,239.00
1ANA	AXLE CONFIGURATION {Navistar} 4x2	\$0.00
	<u>Notes</u> : Pricing may change if axle configuration is changed.	
1CAG	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL	\$455.00
1LLA	BUMPER, FRONT Swept Back, Steel, Heavy Duty	\$0.00
1WEW	WHEELBASE RANGE 197" (500cm) Through and Including 264" (670cm)	\$733.00
2ARV	AXLE, FRONT NON-DRIVING {Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity	\$973.00
3AGU	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type, 14,000-lb Capacity, for Reduced Deflection Vocational Use, with Shock Absorbers	\$311.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6	
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System	\$0.00
4EBT	AIR DRYER {Bendix AD-IP} with Heater	\$526.00
4EVH	BRAKE CHAMBERS, REAR AXLE {MGM TR3030LP3TSHD} 30/30 SqiIn Spring Brake	\$150.00
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqiIn	\$0.00
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	\$0.00
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic	\$38.00
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic	\$58.00
4LGR	SLACK ADJUSTER PINS Stainless Steel Slack Adjuster Pins/Cotter Pins on Front and Rear	\$120.00
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	\$0.00
4VDU	AIR TANK LOCATION (2) Mounted Left Side BOC Under Battery Box	\$27.00
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	\$50.00
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	\$35.00
4WDA	DRAIN VALVE (3) Petcocks, for Air Tanks	\$0.00
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	\$70.00
4XDP	BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,700-lb Capacity	(\$1,268.00)
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	(\$1,424.00)

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
5710	STEERING COLUMN Tilting and Telescoping	\$463.00
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00
5PSA	STEERING GEAR {Sheppard M100} Power	\$0.00
6DGG	DRIVELINE SYSTEM {Dana Spicer} 1710, for 4x2/6x2	\$96.00
7BEV	AFTERTREATMENT COVER Steel, Black	\$0.00
7BLV	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab	\$1,161.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u>	
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab	
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel	
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever	
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light	
	: STARTER SWITCH Electric, Key Operated	
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector	
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature	
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever	
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	
	: WIRING, CHASSIS Color Coded and Continuously Numbered	
8541	HORN, ELECTRIC (2) Disc Style	\$29.00
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense	\$0.00
8HAE	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	\$209.00
8HAH	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket	\$363.00
8MSG	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	\$103.00
8REA	2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness	\$163.00
8RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	\$90.00
8RPR	ANTENNA for Increased Roof Clearance Applications	\$0.00
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	\$483.00
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch	\$123.00
8WDB	BATTERY BOX Steel, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Fuel Tank	\$264.00
8WDG	BACK-UP ALARM {Preco 1059} Electronic; Solid State, Dual Function, 112 dBA	\$211.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	\$42.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	\$0.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	\$42.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	\$42.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection	\$193.00
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm	\$0.00
8WXD	ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened	\$42.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	\$0.00
8XHN	HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord	\$94.00
8XHR	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB Port, Located in the Instrument Panel	\$38.00
8XNY	HEADLIGHTS Halogen	\$0.00
9AAB	LOGOS EXTERIOR Model Badges	\$0.00
9AAE	LOGOS EXTERIOR, ENGINE Badges	\$0.00
9ANG	HOOD, HATCH (01) for Servicing	\$444.00
9HAN	INSULATION, UNDER HOOD for Sound Abatement	\$167.00
9HBM	GRILLE Stationary, Chrome	\$0.00
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	\$76.00
9WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WK"	
10632	PAINT IDENTITY, PT-2 Single Color, Instruction No. 932. Wheels	\$303.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
10769	PAINT CLASS Premium Color	\$725.00
10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	\$0.00
10BAE	LABEL, DEF "DEF ONLY"	\$8.00
10SLV	PROMOTIONAL PACKAGE Government Silver Package	\$0.00
10WCY	SAFETY TRIANGLES	\$47.00
10WKN	KEYS - ALL ALIKE, ID I-1624 Compatible with Z-250	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
10XAN	FIRE EXTINGUISHER 5 lb Class A B C	\$154.00
10XAP	FIRE EXTINGUISHER BRACKET Mounted Left Side Driver Seat	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	\$0.00
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	\$98.00
12ESL	ENGINE, DIESEL {Cummins L9 300} EPA 2021, 300HP @ 2200 RPM, 860 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)	\$8,038.00
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	\$0.00
12UWZ	RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 SqIn, with 1167 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	\$0.00
12VBC	AIR CLEANER Single Element	\$0.00
12VJH	EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2023	\$0.00
12VXU	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel	\$0.00
12VYL	ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use	\$45.00
12WCG	HOSE CLAMPS, RADIATOR HOSES {R.G. Ray Mini Flex Seal} Coil Spring/"T"-Bolt Constant Torque Type, for Radiator Hoses over 1" I.D.	\$54.00
12WZE	CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	\$0.00
12XBM	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines	\$60.00
12XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty	\$0.00
13BDM	TRANSMISSION, AUTOMATIC {Allison 3500 RDS} 6th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway	\$6,394.00
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	\$50.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	\$203.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	\$0.00
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	\$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	\$156.00
13WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming	\$0.00
13XAM	PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission	\$0.00
14051	AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends . Gear Ratio: 4.89	\$1,157.00
14VAH	SUSPENSION, REAR, SINGLE 23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs	\$169.00
15LNS	FUEL/WATER SEPARATOR {Racor 400 Series} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine	\$123.00
15SRE	FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab	\$155.00
15WDG	DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab	\$0.00
16196	CAB Conventional 6-Man Crew Cab	\$10,307.00
16BAM	AIR CONDITIONER with Integral Heater and Defroster	\$0.00
16GED	GAUGE CLUSTER Base Level; English with English Electronic Speedometer	\$0.00
	<u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)	
16GHV	GRAB HANDLE, CAB INTERIOR (4) Safety Yellow, Crew Cab	\$64.00
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	\$0.00
16RPV	SEAT, PASSENGER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Adjust	\$508.00
16SED	GRAB HANDLE, EXTERIOR (2) Black, Aluminum, for Cab Entry Mounted Left and Right Side at B-Pillar	\$87.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
16SET	GRAB HANDLE, ADDITIONAL EXT (2) Black Anodized Aluminum, Mounted Left and Right Side, Rear of Rear Doors, for Crew Cab	\$87.00
16SJX	MIRROR, CONVEX, HOOD MOUNTED {Lang Mekra} (2) Right and Left Sides, Bright, Heated, 7.5" Sq.	\$430.00
16SMT	SEAT, REAR {National} BENCH; Full Width; Vinyl, with Fixed Back and Two Integral Outboard Headrests	\$836.00
16SNR	MIRRORS (2) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	\$442.00
	<u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"	
16VCB	SEAT BELT All Orange; 4 to 6	\$50.00
16VKD	CAB INTERIOR TRIM Classic, for Crew Cab	\$0.00
	<u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap	
16VLV	MONITOR, TIRE PRESSURE Omit	(\$996.00)
16WBY	ARM REST, RIGHT, DRIVER SEAT	\$45.00
16WHJ	HOSE CLAMPS, HEATER HOSE {Breeze} Belleville Washer Type	\$25.00
16WJV	WINDOW, POWER (4) And Power Door Locks, Front and Rear Doors, Left and Right, Includes Express Down Feature	\$499.00
16WSK	CAB REAR SUSPENSION Air Bag Type	\$0.00
16XJN	INSTRUMENT PANEL Flat Panel	\$0.00
16ZHY	ACCESS, CAB Aluminum, Self-Cleaning, Open and Serrated Design, Driver & Passenger Sides, Two Steps per Door, for use with Crew Cab	\$1,294.00
27DUK	WHEELS, FRONT {Accuride 29169} DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	\$84.00
28DUK	WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	\$127.00
29WAP	WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	\$24.00
29WAR	WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels	\$24.00
60AAG	BDY INTG, REMOTE POWER MODULE Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches	\$790.00
7382138132	(2) TIRE, FRONT 11R22.5 Load Range H ENDURANCE RSA (GOODYEAR), 496 rev/mile, 75 MPH, All-Position	\$172.00

<u>Code</u>	<u>Description</u>	<u>List</u>
7382138137	(4) TIRE, REAR 11R22.5 Load Range H FUEL MAX RTD (GOODYEAR), 495 rev/mile, 75 MPH, Drive	(US DOLLAR) \$584.00
Total of Product Features		\$158,531.00
Services Section:		
40128	WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	\$0.00
Total of Service Features		\$0.00
Total List Price Including Options:		\$158,531.00
Body/Allied Equipment		
<u>Code</u>	<u>Description</u>	<u>List</u>
Goods Purchased		
<u>Code</u>	<u>Description</u>	<u>List</u>

(0012ESL)

ATTACHMENTS: 0012VXU 0012THT

<u>Parameter</u>	<u>Value</u>	<u>UOM</u>
Max Accelerator Vehicle Speed	73	MPH
Road Speed Governor Upper Droop	3	MPH
Road Speed Governor Lower Droop	0	MPH
Driver Initiated Override (DIO)	N, DISABLE FEATURE OR FUNCTION	N/A
DIO Maximum Road Speed Delta	3	MPH
DIO Maximum Distance	100	MILES
Max Engine Speed No Veh Speed Sensr	2185	RPM
LBSC Enable	N, DISABLE FEATURE OR FUNCTION	N/A
LBSC - Engine Speed Breakpoint	1800	RPM
Fuel Economy Adjustment Factor	4, MAXIMUM FUEL ECONOMY	N/A
Gear Down Protection Enable	N, DISABLE FEATURE OR FUNCTION	N/A
GDP - Heavy Load Vehicle Speed	62	MPH
GDP - Light Load Vehicle Speed	57	MPH
Driver Reward Enable	N, DISABLE FEATURE OR FUNCTION	N/A
Driver Reward Mode	0, ROAD SPEED GOVERNOR	N/A
Fuel Economy - Expected Level	7.00	MPG
Fuel Economy - Good Level	7.25	MPG
Fuel Economy - Best Level	7.50	MPG
% Idle Time - Expected Level	30	%
% Idle Time - Good Level	20	%
% Idle Time - Best Level	10	%
Speed Reward - Expected Level	0	MPH
Speed Reward - Good Level	0	MPH
Speed Reward - Best Level	0	MPH
Speed Reward - Penalty Level	0	MPH
Idle Speed Adjustment Enable	Y, ENABLE FEATURE OR FUNCTION	N/A
Low Idle Speed	750	RPM
Idle Shutdown Enable	Y, ENABLE FEATURE OR FUNCTION	N/A
ISD Time Before Shutdown	15.0	MIN
ISD Percent Engine Loading	100	%
ISD In PTO	N, DISABLE FEATURE OR FUNCTION	N/A
ISD Manual Override	Y, ENABLE FEATURE OR FUNCTION	N/A
ISD With Parking Brake Set	N, DISABLE FEATURE OR FUNCTION	N/A
ISD Ambient Temperature Override	N, DISABLE FEATURE OR FUNCTION	N/A
ISD Cold Ambient Air Temperature	30	F
ISD Intermediate Ambient Air Temp	40	F
ISD Hot Ambient Air Temperature	81	F
ISD Manual Override Inhibit Zone En	N, DISABLE FEATURE OR FUNCTION	N/A
ISD Hot Ambient Automatic Override	Y	N/A
ISD Engine Coolant Temp Threshold	53	F
Cruise Control Enable	Y, ENABLE FEATURE OR FUNCTION	N/A
CC Maximum Vehicle Speed	73	MPH
CC Save Set Speed	N, DISABLE FEATURE OR FUNCTION	N/A
CC Upper Droop	3.0	MPH
CC Lower Droop	0.0	MPH
CC Auto Resume	N, DISABLE FEATURE OR FUNCTION	N/A
CC Engine Brake Swtch Bypass Enable	N, DISABLE FEATURE OR FUNCTION	N/A
Engine Fan Min On Time For AC	30	SEC
Remote Accelerator Enable	N, DISABLE FEATURE OR FUNCTION	N/A
Remote Accelerator Mode	1, REMOTE ACCELERATOR PEDAL OR LEVER WITH TRANS VERIFICATION	N/A
PTO Enable	Y, ENABLE FEATURE OR FUNCTION	N/A
PTO In Cab Mode	Y, ENABLE FEATURE OR FUNCTION	N/A
Remote PTO Enable	N, DISABLE FEATURE OR FUNCTION	N/A
Remote Station PTO Enable	N, DISABLE FEATURE OR FUNCTION	N/A

PTO Max Engine Speed	2200	RPM
PTO Min Engine Speed	750	RPM
PTO Maximum Engine Load	800	LB-FT
PTO Max Vehicle Speed	2	MPH
PTO Accelerator Override	N, DISABLE FEATURE OR FUNCTION	N/A
PTO Accel Override Max Engine Speed	2400	RPM
PTO Clutch Override	N, DISABLE FEATURE OR FUNCTION	N/A
PTO Service Brake Override	Y, ENABLE FEATURE OR FUNCTION	N/A
PTO Parking Brake Interlock Mode	1, PTO PRK BRK INT TYPE SET TO CAB ONLY	N/A
PTO Transmission Neutral Interlock	N, DISABLE FEATURE OR FUNCTION	N/A
PTO Eng Spd Limit w/VSS Limit	N, DISABLE FEATURE OR FUNCTION	N/A
PTO Ignore Vehicle Speed Sensor	N, DISABLE FEATURE OR FUNCTION	N/A
PTO Resume Switch Speed	925	RPM
PTO Set Switch Speed	850	RPM
PTO Additional Switch Speed	950	RPM
PTO Ramp Rate	250	RPM/SEC
Remote PTO Number of Speed Settings	1	N/A
Remote PTO Speed Setting 1	1000	RPM
Remote PTO Speed Setting 2	1200	RPM
Remote PTO Speed Setting 3	1400	RPM
Remote PTO Speed Setting 4	1400	RPM
Remote PTO Speed Setting 5	1500	RPM
Remote Station PTO Resume Sw Spd	1000	RPM
Remote Station PTO Set Switch Speed	1500	RPM
Remote Station PTO Addition Sw Spd	1500	RPM
Transmission Driven PTO	Y, ENABLE FEATURE OR FUNCTION	N/A
Transmission Driven PTO Type	1, TRANSMISSION DRIVEN STEADY LOAD	N/A
Powertrain Protection Enable	N, DISABLE FEATURE OR FUNCTION	N/A
Max Torque Allow By Axle/Driveshaft	23602	LB-FT
Max Torque in Top Gear Range	2995	LB-FT
Max Torque in Int. Gear Range	2995	LB-FT
Max Torque in Low Gear Range	2995	LB-FT
Max Torque w/o Vehicle Speed	1475	LB-FT
Lowest Gear of Top Gear Range	2.00	N/A
Lowest Gear of Int. Gear Range	3.00	N/A
Lowest Gear of Low Gear Range	6.00	N/A
Engine Protection Shutdown	Y, ENABLE FEATURE OR FUNCTION	N/A
Engine Protection Restart Inhibit	Y, ENABLE FEATURE OR FUNCTION	N/A
Engine Prot Coolant Level Shutdown	Y, ENABLE FEATURE OR FUNCTION	N/A
Sudden Veh Speed Decel Threshold	6.96	MPH
Trip Information Vehicle Ovrsped1	80	MPH
Trip Information Vehicle Ovrsped2	82	MPH
Veh Speed Sensor Anti Tamper Level	1, HIGH LEVEL	N/A
Maintenance Monitor Enable	N, DISABLE FEATURE OR FUNCTION	N/A
Maintenance Monitor Operating Mode	0, MAINTENANCE MONITOR AUTOMATIC MODE OF OPERATION	N/A
Maintenance Monitor Alert Percent	90	%
Maintenance Monitor Distance	15000	MILES
Maintenance Monitor Fuel	2000	GALLONS
Maintenance Monitor Time	500	HOURS
Maintenance Monitor Interval Factor	1.00	N/A
Master Password	000000	N/A
Adjustment Password	000000	N/A
Reset Password	000000	N/A
Predictive Gear Shifting	N, DISABLE FEATURE OR FUNCTION	N/A

These Electronic Parameters have been successfully finalized

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$86,037.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$86,037.00
Dealer: NY Inspection	\$20.00	
Dealer: Additional fuel	\$500.00	
Dealer: Special handling	\$500.00	
TSC 112559B L08: 1371 - Comfort clips; Day cab	\$26.00	
TSC 112559B L09: 1584 - Comfort clips; Crew cab	\$63.00	
Dealer: Delivery	\$500.00	
TSC 112559B L01: 1393 - Radiator Petcock - small radiator	\$66.00	
TSC 112559B L02: 1341 - Thermostatically controlled block heater	\$372.00	
TSC 112559B L03: 2184 - Speedo	\$203.00	
Signal Wire from Allison Xmsn		
TSC 112559B L04: 508 - Schrader Valve With Air Ride Seat	\$63.00	
TSC 112559B L05: 1369 - 5LB Fire Extinguisher Air Ride Seat (STSC)	\$109.00	
TSC 112559B L06: 1370 - Visual Inspection	\$9.00	
TSC 112559B L07: 512 - Diesel Fuel Only Decal	\$13.00	
TSC 112559B L10: 1 - Misc. Handling per unit	\$15.00	
TSC new quote inflation factor estimate	\$754.00	
Total Preparation And Delivery:		\$3,213.00
Freight	\$3,100.00	
Total Freight:		\$3,100.00
Total Factory List Price Including Freight:		\$92,350.00
Total Vehicle Price:		\$92,350.00
Total Sale Price:		\$92,350.00
Total Per Vehicle Sales Price:		\$92,350.00
Net Sales Price:		\$92,350.00

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.